Utilities Board of the Town of Odenville

P.O. Box 88 Odenville, Alabama 35120 PWSID: AL0001203

2023 Annual Drinking Water Quality Report (For the 2022 Drinking Water Period)

The U.S. Environmental Protection Agency (EPA) wants you to know:

In order to ensure that tap water is safe to drink, the EPA prescribes regulations that limit the amounts of certain contaminants in water provided by public water systems. Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water that must provide the same protection for public health. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk.

More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline (800-426-4791). The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and radioactive material, and it can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

<u>Microbial contaminants</u>, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife. <u>Inorganic contaminants</u>, such as salts and metals, which can be naturally occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming. <u>Pesticides and herbicides</u>, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses. <u>Organic chemical contaminants</u>, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems. <u>Radioactive contaminants</u>, which can be naturally occurring or be the result of oil and gas production and mining activities. We are required to monitor for each of these contaminants according to a schedule set by the EPA and the State.

Important Information About Lead:

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Utilities Board of the Town of Odenville is responsible for providing high quality drinking water but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at: http://www.epa.gov/safewater/lead.

Note:

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

Turbidity is a measure of the cloudiness of the water. We monitor it because it is a good indicator of water quality. High turbidity can hinder the effectiveness of disinfectants.

Based on a study conducted by ADEM with the approval of the EPA, a statewide waiver for the monitoring of asbestos and dioxin was issued. Thus, monitoring for these contaminants was not required.

The State allows us to monitor for some contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of our data, though accurate, are more than one year old. This report contains results from the most recent monitoring which was performed in accordance with the regulatory schedule.

he regulatory schedule.	Contaminants Mo	nitorod		Date Mor	itorod
Inorganic Compounds	Containmants Mo	Intoreu		2021 - 2	
Lead and Copper				202	
Microbiological Contaminants				Curre	
Nitrates				202	
Radioactive Contaminants Synthetic Organic Contaminants (including her	bioidae and posticidae)			2017 - 2 2020 - 2	
Volatile Organic Contaminants	2020 - 2 2020 - 2				
Disinfection By-products (TTHM and HAA5)				2020	
	Tab	le of Primary Drinking Wate	r Contaminants		
CONTAMINANT	MCL	Amount Detected	CONTAMINANT	MCL	Amount Detected
Bacteriological			Endothall	100 ppb	ND
Total Coliform Bacteria	< 5%	ND	Endrin	2 ppb	ND
Turbidity	TT	0.74	Epichlorohydrin	TT	ND
Radiological			Glyphosate	700 ppb	ND
Beta/photon emitters (mrem/yr)	4	ND	Heptachlor	400 ppt	ND
Alpha emitters (pCi/L) Combined radium (pCi/L)	<u>15</u> 5	4.8	Heptachlor epoxide Hexachlorobenzene	200 ppt 1 ppb	ND ND
Inorganic	5	1.5	Lindane	200 ppt	ND
Antimony	6 ppb	ND	Methoxychlor	40 ppb	ND
Arsenic	10 ppb	ND	Oxamyl [Vydate]	200 ppb	ND
Barium	2 ppm	0.086	PCBs	500 ppt	ND
Beryllium	4 ppb	ND	Pentachlorophenol	1 ppb	ND ND
Cadmium Chromium	5 ppb 100 ppb	ND ND	Picloram Simazine	500 ppb 4 ppb	ND ND
Copper *	AL=1.3 ppm	1.24	Toxaphene	3 ppb	ND
Cyanide	200 ppb	ND	Benzene	5 ppb	ND
Fluoride	4 ppm	0.31	Carbon Tetrachloride	5 ppb	ND
Lead *	AL=15 ppb	4.	Chlorobenzene	100 ppb	ND
Mercury	2 ppb	ND	Dibromochloropropane	200 ppt	ND
Nitrate Nitrite	10 ppm	0.69 ND	0-Dichlorobenzene p-Dichlorobenzene	600 ppb 75 ppb	ND ND
Selenium	1 ppm 50 ppb	1.	1,2-Dichloroethane	5 ppb	ND
Thallium	2 ppb	ND	1,1-Dichloroethylene	7 ppb	ND
	the most recent sampling ev	ent.	Cis-1,2-Dichloroethylene	70 ppb	ND
Organic Chemicals			trans-1,2-Dichloroethylene	100 ppb	ND
2,4-D	70 ppb	ND	Dichloromethane	5 ppb	ND
2,4,5-TP (Silvex)	50 ppb	ND	1,2-Dichloropropane	5 ppb	ND
Acrylamide	TT	ND	Ethylbenzene	700 ppb	ND
Alachlor	2 ppb	ND	Ethylene dibromide	50 ppt	ND
Atrazine	2 ppb 3 ppb	ND	Styrene	100 ppb	ND
Benzo(a)pyrene[PAHs]	200 ppt	ND	Tetrachloroethylene	5 ppb	ND
Carbofuran	40 ppb	ND	1.2.4-Trichlorobenzene	70 ppb	ND
Chlordane	2 ppb	ND	1.1.1-Trichloroethane	200 ppb	ND
Dalapon	200 ppb	ND	1,1,2-Trichloroethane	5 ppb	ND
Di-(2-ethylhexyl)adipate	400 ppb	ND	Trichloroethylene	5 ppb	ND
Di-(2-ethylhexyl)phthalates	6 ppb	ND	ТТНМ	80 ppb	69.8
Dinoseb	7 ppb	ND	Toluene	1 ppm	ND
Diquat	20 ppb	ND	Vinyl Chloride	2 ppb	ND
Chloramines	4 ppm	ND	Xylenes	10 ppm	ND
Chlorite	1 ppm	ND	TOC	TT	1.6
HAA5	60 ppb	41.2	Chlorine	4 ppm	2.6
ПАА		of Unregulated Drinking Wa		4 ppm	2.0
		0		Learn Descrift DDM	IR-h DH DDM
CONTAMINANT	Low Result, PPM	High Result, PPM	CONTAMINANT	Low Result, PPM	High Result, PPM
1,1 - Dichloropropene 1,1,1,2-Tetrachloroethane	ND ND	ND ND	Chloroform Chloromethane	ND ND	ND ND
1,1,2,2-Tetrachloroethane	ND	ND	Dibromochloromethane	ND	ND
1,1-Dichloroethane	ND	ND	Dibromomethane	ND	ND
1,2,3 - Trichlorobenzene	ND	ND	Dicamba	ND	ND
1,2,3 - Trichloropropane	ND	ND	Dichlorodifluoromethane	ND	ND
1,2,4 - Trimethylbenzene	ND	ND ND	Dieldrin	ND	ND
1.2 5.11	NTD		Hexachlorobutadiene	ND	ND
1,3 - Dichloropropane	ND ND			ND	ND
1,3 - Dichloropropene	ND	ND	p-Isoprpylbenzene	ND ND	ND ND
				ND ND ND	ND ND ND
1,3 - Dichloropropene 1,3,5 - Trimethylbenzene	ND ND	ND ND	p-Isoprpylbenzene M-Dichlorobenzene	ND	ND
1,3 - Dichloropropene 1,3,5 - Trimethylbenzene 2,2 - Dichloropropane 3-Hydroxycarbofuran Aldicarb	ND ND ND ND ND ND	ND ND ND ND ND	p-Isoprpylbenzene M-Dichlorobenzene Methomyl MTBE Metolachlor	ND ND ND ND	ND ND ND ND
1,3 - Dichloropropene 1,3,5 - Trimethylbenzene 2,2 - Dichloropropane 3-Hydroxycarbofuran Aldicarb Aldicarb Sulfone	ND ND ND ND ND ND ND	ND ND ND ND ND ND	p-Isoprpylbenzene M-Dichlorobenzene Methomyl MTBE Metolachlor Metribuzin	ND ND ND ND ND ND	ND ND ND ND ND
1,3 - Dichloropropene 1,3,5 - Trimethylbenzene 2,2 - Dichloropropane 3-Hydroxycarbofuran Aldicarb Aldicarb Sulfone Aldicarb Sulfoxide	ND ND ND ND ND ND ND ND	ND ND ND ND ND ND ND ND	p-Isoprpylbenzene M-Dichlorobenzene Methomyl MTBE Metolachlor Metribuzin N - Butylbenzene	ND ND ND ND ND ND ND	ND ND ND ND ND ND
1,3 - Dichloropropene 1,3,5 - Trimethylbenzene 2,2 - Dichloropropane 3-Hydroxycarbofuran Aldicarb Aldicarb Sulfone Aldicarb Sulfone Aldicarb Sulfoxide Aldrin	ND ND ND ND ND ND ND ND ND ND	ND ND ND ND ND ND ND ND ND	p-Isoprpylbenzene M-Dichlorobenzene Methomyl MTBE Metolachlor Metribuzin N - Butylbenzene Naphthalene	ND ND ND ND ND ND ND ND	ND ND ND ND ND ND ND
1,3 - Dichloropropene 1,3,5 - Trimethylbenzene 2,2 - Dichloropropane 3-Hydroxycarbofuran Aldicarb Aldicarb Aldicarb Sulfone Aldrin Bromobenzene	ND ND ND ND ND ND ND ND	ND ND ND ND ND ND ND ND	p-Isoprpylbenzene M-Dichlorobenzene Methomyl MTBE Metolachlor Metribuzin N - Butylbenzene Naphthalene N-Propylbenzene	ND ND ND ND ND ND ND	ND ND ND ND ND ND
1,3 - Dichloropropene 1,3,5 - Trimethylbenzene 2,2 - Dichloropropane 3-Hydroxycarbofuran Aldicarb Aldicarb Sulfone Aldicarb Sulfone Aldicarb Sulfoxide Aldicarb	ND ND ND ND ND ND ND ND ND ND ND ND	ND ND ND ND ND ND ND ND ND ND	p-Isoprpylbenzene M-Dichlorobenzene Methomyl MTBE Metolachlor Metribuzin N - Butylbenzene Naphthalene	ND ND ND ND ND ND ND ND ND	ND ND ND ND ND ND ND ND
1,3 - Dichloropropene 1,3,5 - Trimethylbenzene 2,2 - Dichloropropane 3-Hydroxycarbofuran Aldicarb Aldicarb Sulfone Aldicarb Sulfoxide Aldrin Bromobenzene Bromochloromethane	ND ND ND ND ND ND ND ND ND ND ND ND ND	ND ND ND ND ND ND ND ND ND ND ND ND	p-Isoprpylbenzene M-Dichlorobenzene Methomyl MTBE Metolachlor Metribuzin N - Butylbenzene Naphthalene N-Propylbenzene O-Chlorotoluene	ND ND ND ND ND ND ND ND ND ND	ND ND ND ND ND ND ND ND ND
1,3 - Dichloropropene 1,3,5 - Trimethylbenzene 2,2 - Dichloropropane 3-Hydroxycarbofuran Aldicarb Aldicarb Sulfone Aldicarb Sulfoxide Aldrin Bromobenzene Bromochloromethane Bromodichloromethane Bromoform Bromomethane	ND ND ND ND ND ND ND ND ND ND ND ND ND N	ND ND ND ND ND ND ND ND ND ND ND ND ND N	p-Isoprpylbenzene M-Dichlorobenzene Methomyl MTBE Metolachlor Metribuzin N - Butylbenzene Naphthalene N-Propylbenzene O-Chlorotoluene P-Chlorotoluene P-Isopropyltoluene Propachlor	ND ND ND ND ND ND ND ND ND ND ND ND ND N	ND ND ND ND ND ND ND ND ND ND ND ND
1,3 - Dichloropropene 1,3,5 - Trimethylbenzene 2,2 - Dichloropropane 3-Hydroxycarbofuran Aldicarb Aldicarb Sulfone Aldicarb Sulfoxide Aldrin Bromobenzene Bromochloromethane Bromodichloromethane Bromoform	ND ND ND ND ND ND ND ND ND ND ND ND ND N	ND ND ND ND ND ND ND ND ND ND ND ND ND N	p-Isoprpylbenzene M-Dichlorobenzene Methomyl MTBE Metolachlor Metribuzin N - Butylbenzene Naphthalene N-Propylbenzene O-Chlorotoluene P-Chlorotoluene P-Isopropyltoluene	ND ND ND ND ND ND ND ND ND ND ND ND ND N	ND ND ND ND ND ND ND ND ND ND ND ND

			Ta	ble	of Second	lary Drinking W	ater Contaminants							
CONTAMINANT (mg/L)	MCLG	MCL	Lov	w Re	sult	High Result	CONTAMINANT (mg/L)	MCLG	MCL	Low Result	High Result			
pН	7	Monitored		6.31		8.3	Aluminum	0	0.2	0.004	0.025			
Color, APHA (units)	N/A	15		ND		10.	Copper	N/A	1	ND	0.038			
Odor	N/A	3		ND		ND	Iron	ND	ND					
Foaming Agents	N/A	0.5		ND		ND	Manganese	0	0.05	ND	ND			
TDS	0	500		48		188	Silver	0	0.1	ND	ND			
Fluoride	N/A	2.0		ND		0.31	Zinc	0	5	ND	0.3			
Sulfate	0	250		1.01		10.	Total Hardness	0	Monitored	ND	161			
Chloride	N/A	250		2.34		19.7	Corrosivity	N/A	N/A	Non-Corrosive	Non-Corrosive			
Table of Detected Primary Drinking Water Contaminants														
CONTAMINANT	MCLG	MCL	Rang	e De	tected	Likely Source of	Likely Source of Contamination							
Turbidity	N/A	TT	0.03	-	0.74	Soil Runoff.	Soil Runoff.							
Barium	2	2 ppm	0.003	-	0.086	Discharge of drilling wastes; discharge of metal refineries; erosion of natural deposits								
Nitrate	10	10 ppm	ND	-	0.69	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits								
Fluoride	4	4 ppm	ND	-	0.31	Water additive which promotes strong teeth; erosion of natural deposits; discharge from fertilizer and aluminum factories								
Copper	1.3	AL-1.3ppm	ND	-	1.24	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservative								
Lead	0	AL-15ppb	ND	-	4.	Corrosion of household plumbing systems; erosion of natural deposits								
Alpha Emitters	0	15 pCi/l	ND	-	4.8	Erosion of natural deposits								
Combined Radium	0	5 pCi/l	ND	1	1.5	Erosion of natural deposits								
Selenium	50ppb	50ppb	ND	-	1.	Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines								
TOC	N/A	TT	0.2	-	1.6	Naturally present in the environment								
TTHM	80	80 ppb	ND	-	69.8	By-Product of drinking water chlorination								
HAA5	60	60 ppb	ND	-	41.2	By-Product of drinking water chlorination								
Chlorine	MRDLG=4	MRDL= 4 ppm	1.05	-	2.6	Water additive used to control microbes								

Water Systems are selected by The Environmental Protection Agency (EPA) to participate in the Unregulated Contaminant Monitoring (UCMR) program to collect nationally representative data for contaminants suspected to be present in drinking water. These contaminants do not have regulatory standards. The monitoring period is between 2018 - 2020. This monitoring is used by the EPA to understand the frequency and level of occurrence of unregulated contaminants in the nation's public water systems. Every five years the EPA develops a new list of UCMR contaminants, largely based on the Contaminant Candidate List (CCL). The detection of a UCMR contaminant does not represent cause for concern, in and of itself.

Odenville Utility Board has completed additional testing for PFAS in 2022, as required by Alabama Department of Environmental Management (ADEM). Those results are also included in this table.

Table of Detected UCMR 4 Contaminants & PFAS								
Contaminant	Minimum Reporting Level (MRL/ug/L)	Reference Concentration (ug/L)	Range Detected		tected	Additional Information		
Manganese	0.4	300	ND	-	7.4	Naturally occurring element; commercially available in combination with other elements and materials; a byproduct of zinc ore processing; used in infrared optics, fiber optic systems, electronics and solar applications		
Bromochloroacetic Acid	NA	NA	ND	-	3.4	By-products of drinking water chlorination		
Bromodichloroacetic Acid	NA	NA	ND	-	3.1	By-products of drinking water chlorination		
Chlorodibromoacetic Acid	NA	NA	ND	-	0.78	By-products of drinking water chlorination		
Dibromoacetic Acid	NA	NA	ND	-	0.45	By-products of drinking water chlorination		
Dichloroacetic Acid	NA	NA	ND	-	14.8	By-products of drinking water chlorination		
Haloacetic Acids (Total)	NA	NA	ND	-	28.4	By-products of drinking water chlorination		
Monochloroacetic Acid	NA	NA	ND	-	2.8	By-products of drinking water chlorination		
Trichloroacetic Acid	NA	NA	ND	-	13.2	By-products of drinking water chlorination		

Table of Detected UCMR 4 Contaminants & PFAS (continued)								
Contaminant	Minimum Reporting Level (MRL/ug/L)	Reference Concentration (ug/L)	Range Detected		etected	Additional Information		
ADONA	NA	NA	ND	-	0.0011	No Health Advisory Limit established		
Perfluorobutanesulfonic Acid	NA	NA	ND	-	0.039	Final Health Advisory Limit for PFBS is 2.0 ug/L		
Perfluorohexanoic Acid	NA	NA	ND	-	0.0013	No Health Advisory Limit established		
Perfluoroheptanoic Acid	NA	NA	ND	-	0.0011	No Health Advisory Limit established		
Perfluorohexanesulfonic Acid	NA	NA	ND	-	0.02	No Health Advisory Limit established		
Perfluorooctanesulfonic Acid	NA	NA	ND	-	0.013	Interim Health Advisory Limit for PFOS is 0.00002 ug/L		
Perfluorooctanoic Acid	NA	NA	ND	-	0.019	Interim Health Advisory Limit for PFOA is 0.000004 ug/L		

Note: EPA has introduced interim health advisory limits for PFOA and PFOS. The interim health advisory limit for PFOS is 0.00002 ug/L. The interim health advisory limit for PFOA is 0.000004 ug/L. The new health advisory limits are lower than the amount which can be detected with current laboratory technology.

Definitions

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level Goal or MRDLG: The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Maximum Residual Disinfectant Level or MRDL: The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Action Level (or AL): The concentration of a contaminant that triggers treatment or other requirement, a water system shall follow.

Treatment Technique (or TT): A required process intended to reduce the level of a contaminant in drinking water.

Nephelometric Turbidity Units (NTU): A measure of clarity.

Variances and Exemptions: ADEM or EPA permission not to meet an MCL or a treatment technique under certain conditions.

Non-Detect (ND): Not detectable at testing limits.

Parts per Million (PPM): milligrams per liter (mg/l). One part per million corresponds to a single penny in \$10,000.

Parts per Billion (PPB): micrograms per liter (ug/l). One part per billion corresponds to a single penny in \$10,000,000.

Parts per Trillion (PPT): nanograms per liter (nanograms/l). One part per trillion corresponds to a single penny in \$10,000,000,000.

Picocuries per Liter (pCi/L): A measure of radioactivity.

Millirems per Year (mrem/yr): Measure of radiation absorbed by the body.

Standard Units (S.U.): pH of water measures the water's balances of acids and bases. Water with less than 6.5 could be acidic, soft and corrosive. A pH greater than 8.5 could indicate that the water is hard.

N/A: Not applicable

FDA: Food and Drug Administration.

CDC: Centers for Disease Control.

EPA: Environmental Protection Agency.

ADEM: Alabama Department of Environmental Management.

UCMR Definitions:

UCMR Minimum Reporting Level (MRL): The minimum concentration that may be reported by a laboratory as a quantified value for a method analyte following analysis. The MRLs were established based on the capability of the analytical method, not based on a level established as "significant" or "harmful". UCMR Reference Concentration: The reference concentrations are based on publicly-available health information found in the following EPA resources: 2018 Edition of the Drinking Water Standards and Health Advisories Tables [i.e., Health advisories (HA)] and the CCL 4 Contaminant Information Sheets {i.e., Health Reference Levels (HRLs)]. The primary sources of the health information used to derive the guideline values in the resources referenced above are peer-reviewed assessments from EPA or other governmental agencies. The reference concentrations are subject to change as new health assessments are completed. Reference Concentrations are not legally enforceable federal standards.

Health Reference Levels (HRL): The CCL process derives HRLs for screening purposes using available data and can be used in the Regulatory Determination process as risk-derived concentrations against which to evaluate the occurrence data to determine if contaminants may occur at levels of public health concern. HRLs are not final determinations about the level of a contaminant in drinking water that is necessary to protect any particular population and, in some cases, are derived prior to development of a complete exposure assessment using the best available data. HRLs are not legally enforceable federal standards

Health Advisories (HA): Has provide information on contaminants that can cause human health effects and are known or anticipated to occur in drinking water. EPA's health advisories are non-enforceable and non-regulatory and provide technical information to State agencies and other public health officials on health effects, analytical methodologies and treatment technologies to assist with risk management decisions.

Utilities Board of the Town of Odenville

PWSID: AL0001203 205-629-5801

2023 Annual Drinking Water Quality Report (For the 2022 Drinking Water Period)

What's the Quality of My Water?

This report is presented by the Utilities Board of the Town of Odenville to inform you about the quality of your drinking water. Each year we will report to you the efforts we make to continually improve the water treatment process and protect our water resources. We want to provide you with information which confirms our commitment to ensuring the quality and quantity of your drinking water. The Odenville Utilities Board is currently providing clean, safe water to over 50,000 people in central St. Clair County and southern Etowah County.

The Utilities Board obtains our water from groundwater sources consisting of eight (8) wells. These wells draw water from three (3) primary aquifers contained within underground rock formations such as Tuscumbia Limestone/Ft. Payne Chert (Well #3), Hartselle Sandstone (Well #7), Floyd Shale and Bangor Limestone (Wells #4,5,8&9). Wells #10 and #11 are developed in the Knox Group in the Valley and Ridge Province in Alabama. Wells #10 and #11 are the primary sources for the Northeastern portion of the system, including the City of Rainbow City. On November 30, 2011, the Odenville Utilities Board began purchasing a portion of our water supply from the Coosa Valley Water Supply District (CVWSD). The results of contaminant monitoring by CVWSD have been incorporated into this report. A source water protection plan for these sources has been completed and is on display for your inspection at our office. This plan contains geological studies which were performed to determine such things as aquifer size, direction of travel of underground water, time of travel, and other geological features. Our Wellhead Protection Plan has been further developed to include a Contaminant Site Inventory to locate and identify potential contaminant sites and to develop strategies to protect our water supplies.

We are pleased to report that all our drinking water is safe for consumption and exceeds all state and federal water quality requirements. If you have any questions about this report or concerning your water service, please contact General Manager Brent Stephens at (205) 629-5801 or by email at <u>brent@oubwater.com</u>. If you want to learn more about your water system and its efforts to provide water service, please attend any of our regularly scheduled Board of Directors meetings. They are held on the second Friday of each month at 4:00 p.m. at the Utilities Board Office. These meeting dates are subject to change, so please call our office to confirm the date and time of our next meeting.

Board of Directors:

Paul Riddle, Chairman Jack Stepp, Vice-Chairman Mike Washington, Secretary Brent Stephens, General Manager Brad Sanders, Assistant Manager Casie Roberson, Office Manager